

February 5, 2004

To: Commissioner for Patents

P.O.Box 1450

Alexandria, VA 22313-1450

Fr: George O. Saile, Reg. No. 19,572

28 Davis Avenue

Poughkeepsie, N.Y. 12603

Subject:

| Serial No. 10/615,123 07/08/03 |

Rainer Krenzke

SLEW RATE SENSING AND CONTROL OF A HIGH-VOLTAGE OUTPUT DRIVER FOR A VARIABLE VOLTAGE RANGE AND VARIABLE OUTPUT LOAD

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Enclosed is Form PTO-1449, Information Disclosure Citation In An Application.

The following Patents and/or Publications are submitted to comply with the duty of disclosure under CFR 1.97-1.99 and 37 CFR 1.56.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on February (7, 2004.

Stephen B. Ackerman, Reg.# 37761

Signature/Date

- U.S. Patent Application Publication US 2002/0063590 A1 to Nanba et al., "Low Power Circuit with Proper Slew Rate by Automatic Adjustment of Bias Current," discusses a semiconductor integrated circuit including an adjusted circuit a slew rate (an amount of change in output voltage per unit time for step input) of whose output is dependent on a bias current and a circuit automatically adjusting the value of the bias current to achieve low power with proper slew rate.
- U.S. Patent 6,288,563 to Muljono et al., "Slew Rate Control," discusses controlling the slew rate of a driver circuit.

International Patent Applicatiaon WO 99/10982 to Garrett et al., "Current Control Technique," discloses an output driver circuit and current control technique to facilitate high-speed buses with low noise used to interface with high-speed dynamic RAMs (DRAMs).

U.S. Patent 6,009,487 to Davis et al., "Method and Apparatus for Setting a Current of an Output Driver for the High Speed Bus," discloses a method for setting a current of a current source driver for a high speed bus system.

DS-02-021

U.S. Patent 5,254,883 to Horowitz et al., "Electrical Current Source Circuitry for a Bus," describes electrical current source circuitry for a bus.

Sincerely

Stephen B. Ackerman,

Reg. No. 37761

Form PTO-	1 4 4 0	<u> </u>		,			······································	Doctor(Humber (Cpecnar)		Application Human	6 P	1.
E				D 10	٥.	001155 0		DS-02-0	aı l	10/615,	123	
<u>@</u> \	HMA					OSURE C ICATION	HAHON	Applicant Rainer				
2004	//) e					cessary)		FMod Date		Group AT UM		
MARK SERT	103					×*************************************	II C' DATE	NT DOCUMENTS	03			
EXMINER	00	CIMI CIMI	FICT I	JI M.J.R	f D	DATE	0. 3. PAT	MAR	CLASS		nunc	
MITAL	DOCUMENT HOMBER				<u> </u>	0.712	· · · · · · · · · · · · · · · · · · ·			#USCLA#	¥ ለምዋጸ	OPIU
	6	28	8	50	2 3	9/11/01	Muljar	o et al.	32	6 27	12/3	1/4
	6	00	9	4	8/7	12/28/99	Davis	et d.	710	105	5/3	ıla
	5	عدا	54	85	2 3	10/19/93	Horow	itz et al.	307	443	4/2:	م ا
						1 1 1 1						
·.	 		 -		-	 					ļ	
	╁	-	+	-	+	 						
` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	-	-	-	- -	+	-						·······
	-	-	-	- -	_							
	-	_ _	-	- -	_	ļ					ļ	
]:									
١.												
	.	<u>l., l:</u>		ــــــــــــــــــــــــــــــــــــــ		. !	FOREIGN PA	TENT DOCUMEN	TS			
1, 1,	OCCUMENT NUMBER OATE				'n	DATE	co	cuss	ESUSSUS	YES	illen	
		1.	T	00	2/2	3/4/99	TILD	1 4 ^	11.03	× 10 /	 	<u> </u>
Wo 9	4	/ 1	10	7 3	10	314144	Int'l P	stend App.	Ho3	K 19/0175	}	
		_	╢	-	+							
	-	_	╀-	-	_							_
			_	- -	<u> </u>							<u> </u>
					{		·				<u> </u>	
	,							UMENTS (Induana	 			
_		W.	S. 1	Pat	حــة	+ App	Pub. US	2002/00639 S.Class 32	590 A	1 to 1	lanba	2.4
		Pu	b	D	土	e 5/30	102,45	S. Class 32	2/170	Filed	8/6	01
							· '		· ,			
<u> </u>	+-									., <u>,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,</u>		
	-											
	<u> </u>											
EXAMPLER							-	DATE CONMIDERED				

citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.